



RIFFLE BOX

Standard: EN 932-1, EN 932-2, EN 932-5, EN 933-5, ASTM C136, ASTM C702, AASHTO T27, AASHTO T87, BS 812:1

Sample Splitting

Used for the rapid preparation of dry material such as cement, gravel, sand, soil etc. Material poured into the hopper is divided into two equal portions by a series of slot that discharge the material alternately in opposite direction into separate pans.

Technical Specifications :

Model Number	Chutes Width		Chutes No.	Receiving Pans (nos)	Dimension (LxWxH)(mm)	Weight (kg)
	Inch	mm				
NL 1014 X / 001	¼	6.3	12	3	175 x 120 x 120	1.5
NL 1014 X / 002	⅜	9.5	12		265 x 160 x 175	3
NL 1014 X / 003	½	12.7	12		260 x 185 x 220	4
NL 1014 X / 004	¾	19.0	12		390 x 220 x 270	7
NL 1014 X / 005	1	25.0	8		340 x 230 x 295	7
NL 1014 X / 006	1½	38.0	8		335 x 270 x 395	15
NL 1014 X / 007	2	50.8	8		570 x 280 x 390	18
NL 1014 X / 008	2½	63.5	8		675 x 310 x 420	20